Date of Approval: January 9, 2015

# FREEDOM OF INFORMATION SUMMARY

# ORIGINAL ABBREVIATED NEW ANIMAL DRUG APPLICATION

# ANADA 200-527

Enrofloxacin Antibacterial Injectable Solution

(enrofloxacin)

Injectable Solution

Dogs

For the management of diseases in dogs associated with bacteria susceptible to enrofloxacin

Sponsored by:

Putney, Inc.

# Table of Contents

I.	GENERAL INFORMATION:	. 3
	BIOEQUIVALENCE:	
	EFFECTIVENESS:	
	TARGET ANIMAL SAFETY:	
	HUMAN FOOD SAFETY:	
	USER SAFETY:	
	AGENCY CONCLUSIONS:	

## I. GENERAL INFORMATION:

A. File Number

ANADA 200-527

B. Sponsor

Putney, Inc. One Monument Sq., suite 400 Portland, ME 04101

Drug Labeler Code: 026637

C. Proprietary Name

Enrofloxacin Antibacterial Injectable Solution

D. Established Name

enrofloxacin

E. Pharmacological Category

Antimicrobial

F. Dosage Form

Injectable solution

G. Amount of Active Ingredient

22.7 mg/mL

H. How Supplied

20 mL vial

I. Dispensing Status

Rx

J. Dosage Regimen

2.5 mg/kg as a single dose, followed by initiation of enrofloxacin tablet therapy

K. Route of Administration

Intramuscular injection

L. Species/Class

Dogs

#### M. Indication

For the management of diseases in dogs associated with bacteria susceptible to enrofloxacin

## N. Reference Listed New Animal Drug

BAYTRIL Antibacterial Injectable Solution; enrofloxacin; NADA 140-913; Bayer HealthCare LLC, Animal Health Division

### II. BIOEQUIVALENCE:

Under the provisions of the Federal Food, Drug, and Cosmetic Act, as amended by the Generic Animal Drug and Patent Term Restoration Act of 1988, an abbreviated new animal drug application (ANADA) may be submitted for a generic version of an approved new animal drug (reference listed new animal drug). New target animal safety and effectiveness data and human food safety data (other than tissue residue data) are not required for approval of an ANADA.

Ordinarily, the ANADA sponsor is required to show that the generic product is bioequivalent to the reference listed new animal drug (RLNAD), which has been shown to be safe and effective. If bioequivalence is demonstrated through a clinical endpoint study, then a tissue residue study to establish the withdrawal time for the generic product should also be conducted. For certain dosage forms, the agency will grant a waiver from the requirement of demonstrating bioequivalence (55 FR 24645, June 18, 1990; Fifth GADPTRA Policy Letter; Bioequivalence Guideline, October 9, 2002).

Based on the formulation characteristics of the generic product, Putney, Inc. was granted a waiver from the requirement to demonstrate bioequivalence for the generic Enrofloxacin Antibacterial Injectable Solution. The generic product is administered as an injectable solution, contains the same active ingredient in the same concentration and dosage form as the RLNAD, and contains no inactive ingredients that may significantly affect the bioavailability of the active ingredient. The RLNAD is BAYTRIL (enrofloxacin) Antibacterial Injectable Solution, sponsored by Bayer HealthCare LLC, Animal Health Division, under NADA 140-913, and was approved for use in dogs for the management of diseases associated with bacterial susceptible to enrofloxacin.

### III. EFFECTIVENESS:

CVM did not require effectiveness studies for this approval.

### IV. TARGET ANIMAL SAFETY:

CVM did not require target animal safety studies for this approval.

#### V. HUMAN FOOD SAFETY:

Data on human food safety, pertaining to drug residues in food, were not required for approval of this application. This drug is approved for use in dogs, which are not food producing animals.

### VI. USER SAFETY:

CVM did not require user safety studies for this approval.

The product labeling contains the following information regarding safety to humans handling, administering, or exposed to Enrofloxacin Antibacterial Injectable Solution:

#### WARNINGS:

For use in animals only. The use of this product in cats may result in Retinal Toxicity. Keep out of reach of children.

Avoid contact with eyes. In case of contact, immediately flush eyes with copious amounts of water for 15 minutes. In case of dermal contact, wash skin with soap and water. Consult a physician if irritation persists following ocular or dermal exposures. Individuals with a history of hypersensitivity to quinolones should avoid this product. In humans, there is a risk of user photosensitization within a few hours after excessive exposure to quinolones. If excessive accidental exposure occurs, avoid direct sunlight.

For customer service or to obtain product information, including Material Safety Data Sheet, call 1-866-683-0660.

#### VII. AGENCY CONCLUSIONS:

This information submitted in support of this ANADA satisfies the requirements of section 512(n) of the Federal Food, Drug, and Cosmetic Act and demonstrates that Enrofloxacin Antibacterial Injectable Solution, when used according to the label, is safe and effective.